



SECTION

ROCKER PIPE DETAILS:

NOMINAL PIPE DIAMETER (mm)	MAXIMUM EFFECTIVE LENGTH (m)
150-600	0.6
601-750	1.0
OVER 750	1.25



FRONT ELEVATION



PLAN

DISCHARGE SHOWN TO POND OR WIDE WATERCOURSE

* NOTE OUTFALL TO BE SPLAYED ON PLAN FOR DISCHARGE INTO NARROW WATERCOURSE WHERE THERE IS A RISK OF EROSION TO OPPOSITE BANK

NOTES

1. ALL DIMENSIONS ARE MILLIMETERS UNLESS OTHERWISE SPECIFIED.
2. DO NOT SCALE FROM THIS DRAWING. ONLY WRITTEN DIMENSIONS ARE TO BE USED.
3. REFER TO SPECIFICATION FOR GENERAL CONSTRUCTION.
4. ALL CONCRETE TO GIVE CLASS 4 SULPHATE RESISTANCE GEN 3.
5. REFER TO SEWERS FOR ADOPTION
6. SUBJECT TO APPROVAL BY LOCAL PLANNING AUTHORITY.
7. SAFETY GRILL REQUIRED FOR OUTFALL 355mm DIAMETER OR GREATER.

NOTES FOR DESIGNER

Blank area for designer notes.

REV.	DATE	DESCRIPTION	BY

COMPANY DETAILS:

PROJECT TITLE:

CONTRACTORS DRAWING NO. REVISION

TYPICAL DETAILS NOT FOR CONSTRUCTION

DRAWING TITLE
TYPICAL DETAIL OF OUTFALL TO WATER COURSE

SCALE	DRAWN	DATE	SIZE
DESIGNED	CHECKED	APPROVED	DATE
DISCIPLINE	STATUS	SITE	

DRAWING NO. 5..... REVISION